

Scan Code
19

January 25, 2012

CERTIFIED MAIL: RETURN RECEIPT REQUESTED (7011 0110 0001 3590 1334)

REPLY TO: 6WQ-NP

Mr. Wayne Porter
Nadel and Gussmann, L.L.C.
3200 First Place Tower
15 East 5th Street, Suite 3200
Tulsa, OK 74103

Re: Underground Injection Control Permit No. 06S1261P6301
Authorization to Inject
Osage County, Oklahoma

Dear Mr. Porter:

Enclosed is the Authorization to Inject into South Bend 2A-11 well. This Authorization is issued under the authority of the Safe Drinking Water Act and the Osage Underground Injection Control (UIC) program regulations [40 CFR Section 147.2920]. The pressure test completed on this well on September 28, 2011, showed that the well has mechanical integrity as required by the referenced permit and any modifications.

If you have any questions, please contact Ms. Jenaie Franke at (214) 665-7514.

Sincerely yours,

William K. Honker, P.E.
Acting Director
Water Quality Protection Division

cc: BIA Mineral Branch
Osage UIC Office

bcc: Reading File (6WQ-NP)

DBrown 1/19/12

6WQ-NP:DBROWN:X8141:-01-10-12:ATI OS 6301

6WQ-NP
FRANKE *JF 1/23/12*

7011 0110 0001 3590 1334

U.S. Postal Service™
CERTIFIED MAIL™ RECEIPT
(Domestic Mail Only; No Insurance Coverage Provided)

For delivery information visit our website at www.usps.com

OFFICIAL USE

Postage	\$	Postmark Here
Certified Fee		
Return Receipt Fee (Endorsement Required)		
Restricted Delivery Fee (Endorsement Required)		
Total Paid		
Sent To: Mr. Wayne Porter		
Nadel and Gussmann, L.L.C.		
3200 First Place Tower		
15 East 5 th Street, Suite 3200		
Tulsa, OK 74103		

Well No. South Bend 2A-11
Permit No.: 06S1261P6301

ENVIRONMENTAL PROTECTION AGENCY
Underground Injection Control Program


OSAGE MINERAL RESERVE
Authorization to Inject

Nadel and Gussman, L.L.C. is hereby authorized to begin injection and operate South Bend 2A-11 well, located at 300' FSL, 300' FWL, SE/4, Sec. 11, T 23N, R 03E, as a Class II injection well. The permittee is authorized to inject salt water for disposal.

Conversion of the well identified herein was authorized by Permit No. 06S1261P6301, dated January 17, 2012. This Authorization to Inject is hereby made a part of the referenced permit.

All requirements and conditions prescribed under Permit No. 06S1261P6301 and any modifications apply and remain in full force and effect during the effective period of this permit. This authorization is effective from the date entered below and shall remain in effect unless terminated.

Signed this 25th day of January, 2012.


William K. Honker, P.E.
Acting Director
Water Quality Protection Division
Environmental Protection Agency
Region 6



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

REGION 6
1445 ROSS AVENUE, SUITE 1200
DALLAS, TX 75202-2733

REPLY TO: 6WQ-NP

JAN 17 2012

CERTIFIED MAIL: RETURN RECEIPT REQUESTED (7011 0110 0001 3590 0634)

Mr. Wayne Porter
Nadel and Gussman, L.L.C.
3200 First Place Tower
15 East Street, Suite 3200
Tulsa, OK 74103-4340

Re: Underground Injection Control (UIC) Final Permit
Permit No. 06S1261P6301 - Osage County, Oklahoma

Dear Mr. Porter:

Enclosed is a copy of the final permit referenced above. Please read the entire permit in order to become familiar with the effective date and the conditions of the permit. You will notice that Permit Condition Number I.B.1. requires that the well pass a Mechanical Integrity Test and receive an Authorization to Inject from this office prior to any future operation of the well. Authorization to Inject will not be granted until you have satisfactorily demonstrated compliance with special permit conditions I.A.1., I.A.2., I.A.3., and I.B.1. The Agency will review each issued permit at least once every five years to determine whether it should be modified or terminated.

The Bureau of Indian Affairs (BIA) also requires that you apply for and receive authorization to complete the work described in the referenced permit application. Please contact the BIA office at (918) 287-5710 for further information. To schedule your well for testing, please contact the Osage UIC office in Pawhuska at (918) 287-5333.

If you have any questions please call Evelyn Rosborough at (214) 665-7515 at the Environmental Protection Agency (EPA) in Dallas.

Sincerely yours,

A handwritten signature in black ink, appearing to read "WK Honker".

William K. Honker
Acting Director
Water Quality Protection Division (6WQ)

Enclosures

cc with enclosures:

BIA, Minerals Branch
Osage UIC Office